

ES 40 Structural Glazed Minimal Curtain Wall System



# **Product Features:**

ES 40 SG Curtain Wall System consists of 40 mm wide mullions and transoms suitable for sloped and vertical facades. The glass panels are bonded to the aluminium frames with structural silicon sealant instead of aluminium cap. The external vertical and horizontal sightline joint will be around 12 to 14 mm.

ES 40 SG is a slim curtain wall system in elevation wise to provide maximum external view. Euro Systems specially designed the system to increase the panoramic view

Euro Systems has variable depth in ES 40 SG curtain wall system subject to project requirement as per design criteria.



Email: info@eurosystems.co.uk | Web: www.eurosystems.co.uk



# ES 40 Structural Glazed Minimal Curtain Wall System

# Glazing

The system is glazed from the outside. Glass shall conform to the requirements of BS 6262 for thickness and type, in terms of wind resistance, safety and security.

# Drainage

The system is mullion drained, achieved by meeting the requirements of "Ventilated and drained glazing system" as specified in BS standards.

# **Materials**

The system is constructed from extruded aluminium profiles, using alloy 6063 complying with the requirements of BS 1474.

# Gasket

The joint seal is made of EPDM, a synthetic rubber gasket compatible with silicon sealants assures water, air and wind resistance

#### Thermal Insulation

Reinforced up to Ucw =  $1.6 \text{ W/m}^2\text{K}$ . The lower the U-value is, the better the thermal insulation.

# **Water Tightness**

Resistant to heavy rain in accordance with EN 12154:2000

## **Air Permeability**


Complying with EN 12152:2002

## **Wind Resistance**

Complying with BS EN 13116 – 1000 Pa to 2000 Pa, dependant upon correct mullion and transom selection to suit span and spacing.

# **Size Limitations**

The size limitation of the system depends mainly on the mullion/transom members and mullions can be reinforced by concealed steel insert to suit the span, spacing and wind loads, which are specific for each individual project.





**UNITED KINGDOM** Unit 11 Chancel Industrial park Newhall Street, Willenhall **WV13 1NX** UK

- info@eurosystems.co.uk www.eurosystems.co.uk
- Tel: +44 (0) 845 075 1050 🌭 Euro Systems

Design with Passion